Author Index

ABDI HAMIDA B., SIMONS MARGARET A., YOUNG-COOPER GLENDOWLYN O. & MAGE ROSE G. Expression of kappa chain allotypes at the cell surface and in serum immunoglobulins of normal and allotype-suppressed heterozygous rabbits, 661

ADLER W.H., *see* SAXENA R.K.

AKABOSHI T., *see* NAKAMURA K.

ALLEN JANICE B., *see* SCHWAB J.H.

AMANO T., *see* HIRAYAMA A.

ANDERLE SONIA K., *see* SCHWAB J.H.

ANGELOVA LUDMILLA A. & SHVARTSMAN YA S. Original antigenic sin to influenza in rats, 183

ANKERST J., *see* FÄLDT R.

ARNDT R., *see* RAEDLER A.

ARVILOMMI H., *see* RÄSÄNEN LIISA.

ASKENASE P.W., *see* DESAULES MADELEINE.

ASOFSKY R., *see* ROLLWAGEN FLORENCE M.

AUER H., *see* POPPER H.

AZUMA I., *see* RIBI E.

AZUMA I., *see* YAMAMOTO K.

BADENOCH-JONES P. Macrophage aggregation factor: some properties, 629

BAEHNER R.L. *see* YASAKA T.

BALLAS Z.K., *see* WEILER J.M.

BANGA J.P., *see* LANG I.

BECKER W.-M., *see* RAEDLER A.

BEEK C.J., *see* STASSEN F.L.

BELL S.C., *see* ROE RACHEL.

BIRCH RUTH E., *see* POWELL A.E.

BIRMINGHAM J.R., TABATABAI LOUISA B., DEYOE B.L., JESKA E.L. & NUESSEN MARY E. Generation of chemotactic factor for granulocytes and monocytes from serum by fractions of *Brucella abortus*, 17

BLACKLEDGE G., *see* VOSE B.M.

BLOCH K.J., *see* PRICKETT J.D.

BOCTOR F.N., CHEEVER A.W. & HIGASHI G.I. *Schistosoma mansoni*: fractionation of polysaccharide egg antigens by lectin affinity chromatography, 237

BOUTHILLIER Y., SANT'ANNA O.A., HEUMANN A.M., MEVEL J.C. & MOUTON D. Both genetic background and environmental factors modify the phenotypic expression of H-2 associated genes participating in the polygenic control of antibody responsiveness to Salmonella antigens, 67

BOXER L.A., *see* RODER J.C.

BOXER L.A., *see* YASAKA T.

BOZELKA B.E., MCCANTS M.L., SALVAGGIO J.E. & LEHRER S.B. IgG isotype suppression in anti-ε-treated mice, 527

BREHMER W., *see* RIBI E.

BROWN W.R.A. & WILLIAMS A.F. Lymphocyte cell surface glycoproteins which bind to soybean and peanut lectins, 713

BULLEN J.J. & JOYCE P.R. Abolition of the bactericidal function of polymorphs by ferritin-antiferritin complexes, 497

CAILLOL DANIELLE, *see* LEMONNIER F.

CARLSON PATRICIA, RUDDY S. & CONRAD D.H. Solubilization of an activity regulating C3b function from Raji cell membranes, 163

CARTER S.D., LESLIE R.G.Q. & REEVES W.G. Human monocyte binding of homologous monomer and complexed IgG, 793

CATHCART E.S., *see* SILVERMAN S.L.

CHEEVER A.W., *see* BOCTOR F.N.

CHIN W., *see* ISSEKUTZ T.B.

COHEN A.S., *see* SILVERMAN A.L.

COLTEN H.R., *see* SESSIONS COLE F.

CONRAD D.H., *see* CARLSON PATRICIA.

CONRAD D.H., *see* FROESE A.

COOKE ANNE, *see* LANG I.

COSIO F.G., DOUGLAS S.D. & MICHAEL A.F. The human FcR. III. Effects of Pronase on soluble immune complex binding by polymorphonuclear leucocytes, monocytes and pulmonary macrophages, 395

CROMARTIE W.J., *see* SCHWAB J.H.

CROWTHER D., *see* VOSE B.M.

CZITROM A.A., *see* MING YEH.

DALLDORF, F., *see* SCHWAB J.H.

DANDEU J.-P., LE MAO J., LUX M., RABILLON J. & DAVID B. Antigens and allergens in *Dermatophagoïdes farinae*. II. Purification of Ag 11, a major allergen in *Dermatophagoïdes farinae*, 679

DAVID B., *see* DANDEU J.-P.

DAYER J.-M., *see* PASSWELL J.H.

DE SOUZA J.B., *see* PLAYFAIR J.H.L.

DENIZOT F. & GOLSTEIN P. Primary *in vitro* mouse B-cell response induced by self-hormone-coupled self-albumin, 89

DESAULES MADELEINE & ASKENASE P.W. Prolonged reduction in basophil counts at cutaneous basophil hypersensitivity reaction sites challenged with antigen, 381

DEYOE B.L., *see* BIRMINGHAM J.R.

DIAZ-ESPADA F. & LOPEZ-ALARCON LUISA. Mitogen-induced changes in glycolytic enzymes of mouse lymphocytes: influence of insulin on cell activation *in vitro*, 705

DIERICH M.P., *see* SCHOPF R.E.

DOHI Y., *see* HIRAYAMA A.

DONACHIE ANNE M., *see* WAKELIN D.

DOUGLAS S.D., *see* COSIO F.G.

DRESSER D.W., *see* MALLEY A.

DRESSER D.W., POPHAM A.M. & HUNT R. Differences in putative minor histocompatibility but not IgH genes can prevent T-cell priming and T–B co-operation in the response of mice to sheep erythrocytes, 643

DUBREUIL P., *see* LEMONNIER F.
DUCLOS HÉLÈNE, MAILLOT MARIE-CHRISTINE & GALANAUD P. Differential effects of azathioprine on T cells regulating murine B-cell function, 595

EDWARDS JILL, *see* HOGARTH P.M.
EGIDO J., SANCHO J., RIVERA F. & SANCHEZ-CRESPO M. Handling of soluble IgA aggregates by the mononuclear phagocytic system in mice. A comparison with IgG aggregates, 1
EISENBERG R., *see* SCHWAB J.H.
EISENTHAL A., NACHTIGAL D. & FELDMAN M. The *in vitro* generation of suppressor lymphocytes involves interactions between PNA^+ and PNA^- thymocyte populations, 697
EZINE SOPHIE, *see* PAPIERNIK MARTINE.

FALDT R., ANKERST J., MONTI M. & WADSÖ I. Heat production in different populations of human blood cells exposed to immune complexes *in vitro*: the importance of the Fc parts of immunoglobulins and the influence of active complement, 189
FARRAM EUNICE, NELSON MARGARET, NELSON D.S. & MOON DEBORAH K. Inhibition of cytokine production by a tumour cell product, 603
FAUCI A.S., *see* RODER J.C.
FELDBUSH T.L., *see* WEILER J.M.
FELDMAN M., *see* EISENTHAL A.
FORD P.M. & KOSATKA IVA. The effect of human IgM rheumatoid factor on renal glomerular immune complex deposition in passive serum sickness in the mouse, 761
FROESE A., HELM R.M., CONRAD D.H., ISERSKY C. & ISHIZAKA T. Comparison of the receptors for IgE of various rat basophilic leukaemia cell lines. II. Studies with different anti-receptor antisera, 117
FROESE A., HELM R.M., CONRAD D.H., ISERSKY C., ISHIZAKA T. & KULCZYCKI JR. A. Comparison of the receptors for IgE of various rat basophilic leukaemia cell lines. I. Receptors isolated by IgE-Sepharose and IgE and anti-IgE, 107
FUJIO H., *see* HIRAYAMA A.

GALANAUD P., *see* DUCLOS HÉLÈNE.
GALLAHER J., *see* VOSE B.M.
GALSWORTHY SARA B., *see* SHUM D.T.
GILBERT KATHLEEN M. & HOFFMANN M.K. Lymphokine-induced suppressor B cells, 545
GODFREY H.P. & PUROHIT A. Characterization of a guinea-pig lymphokine macrophage agglutination factor, 507
GODFREY H.P. & PUROHIT A. Reversible binding of a guinea-pig lymphokine to gelatin and fibrinogen: possible relationship of macrophage agglutination factor and fibronectin, 515
GODING J.W., *see* HOGARTH P.M.
GOLDRING S.R., *see* PASSWELL J.H.
GOLSTEIN P., *see* DENIZOT F.
GRANGER D.L., *see* RIBI E.
GRENCIS R.K. & WAKELIN D. Short lived, dividing cells mediate adoptive transfer of immunity to *Trichinella spiralis* in mice. I. Availability of cells in primary and secondary infections in relation to cellular changes in the mesenteric lymph node, 443
GRENCIS R.K., *see* WAKELIN D.
GUENIN R., *see* SCHNEIDER C.H.
GUNN H., *see* LANG I.
GUTOWSKI JANICE K. & WEKSLER M.E. Studies on the syngeneic mixed lymphocyte reaction. I. The ontogeny of the syngeneic mixed lymphocyte reaction in mice, 727
GUTOWSKI J.K. & WEKSLER M.E. Studies on the syngeneic mixed lymphocyte reaction. II. Decline in the syngeneic mixed lymphocyte reaction with age, 801

HALIOTIS TINA, *see* RODER J.C.
HALL R., *see* WEETMAN A.P.
HAMMAN K.P., *see* SCHOPF R.E.
HASZ DIANE, *see* SOLTIS R.D.
HAVAS H.F., *see* PATEL M.
HAY J.B., *see* ISSEKUTZ T.B.
HELM R.M., *see* FROESE A.
HEUMANN A.M., *see* BOUTHILLIER Y.
HIGASHI G.I., *see* BOCTOR F.N.
HILL D.J., *see* MCCASKILL A.C.
HIMENO K., *see* SANUI H.
HIRAYAMA A., DOHI Y., TAKAGAKI Y., FUJIO H. & AMANO T. Structural relationships between carrier epitopes and antigenic epitopes on hen egg-white lysozyme, 145
HOFFMANN M.K., *see* GILBERT KATHLEEN M.
HOFHUIS, F.M.A., *see* WILLERS J.M.N.
HOFSTETTER M., POINDEXTER R.W., RUIZ-TIBEN E. & OTTESEN E.A. Modulation of the host response in human schistosomiasis. III. Blocking antibodies specifically inhibit immediate hypersensitivity responses to parasite antigens, 777
HOGARTH P.M., EDWARDS JILL, MCKENZIE I.F.C., GODING J.W. & LIEW F.Y. Monoclonal antibodies to the murine Ly-2.1 cell surface antigen, 135
HOSKING C.S., *see* MCCASKILL A.C.
HOWIE SARAH, MCBRIDE W.H. & JAMES K. Distribution of IgM, IgA and IgG secreting cells in the tissues of normal and tumour-bearing mice, 43
HUNT R., *see* DRESSER D.W.

IDIKIO H. Experimental autoimmune tubulointerstitial nephritis in guinea-pigs: effects on renal lesions of cyclophosphamide administered before and after tubular basement membrane immunization, 833
ISERSKY C., *see* FROESE A.
ISHIGURO Y., KATO K., ITO T. & NAGAYA M. Developmental profiles of urinary SIgA in newborns and the effect of blood transfusion, 329
ISHIZAKA T., *see* FROESE A.
ISSEKUTZ T.B., CHIN W. & HAY J.B. The characterization of lymphocytes migrating through chronically inflamed tissue, 59
ITO T., *see* ISHIGURO Y.

JACOBSEN C., *see* STEENSGAARD J.
JAMES K., *see* HOWIE SARAH.
JEFFERIS R., *see* STEENSGAARD J.
JESKA E.L., *see* BIRMINGHAM J.R.
JOYCE P.R., *see* BULLEN J.J.

KAKINUMA M., *see* YAMAMOTO K.
KASHIWAZAKI S., *see* NAKAMURA K.

KATO K., *see* ISHIGURO Y.
KATO K., *see* YAMAMOTO K.
KATSURA Y., *see* KINA T.
KAWAKAMI M., *see* NAKAMURA K.
KINA T., NISHIKAWA S. & KATSURA Y. T-cell regulation of pokeweed-mitogen-induced polyclonal immunoglobulin production in mice. I. Characterization of helper T cells, 575
KINA T., NISHIKAWA S. & KATSURA Y. T-cell regulation of pokeweed-mitogen-induced polyclonal immunoglobulin production in mice. II. Mechanism of the induction of suppressor T cells, 583
KINGS M., *see* SCHNEIDER C.H.
KOSATKA IVA, *see* FORD P.M.
KOZBOR DANUTA., *see* RODER J.C.
KULCZYCKI JR A., *see* FROESE A.

LAING L., *see* RODER J.C.
LANG I., BANGA J.P., VAREY ANNE-MARIE, GUNN H., COOKE ANNE & ROITT I.M. Direct staining of mouse T lymphoblasts with fluoresceinated *Vicia villosa* lectin, 769
LE MAO J., *see* DANDEU J.-P.
LEA T., MICHAELSEN T.E. & NATVIG J.B. Demonstration of non-idiotypic variable heavy chain (V_H) antigens on human peripheral blood lymphocytes, 849
LEE C.J., *see* LIN K.T.
LEHRER S.B., *see* BOZELKA B.E.
LEMMEL E.-M., *see* SCHOPF R.E.
LEMONNIER F., DUBREUIL P. & CAILLOL DANIELLE. Inhibition by Fab and Fab'$_2$ monoclonal anti-Ia antibody fragments of T-lymphocyte proliferative responses, 533
LESLIE R.G.Q., *see* CARTER S.D.
LICHTENBERG NANCY A., *see* SESSIONS COLE F.
LIEW F.Y., *see* HOGARTH P.M.
LIN K.T. & LEE C.J. Immune response of neonates to pneumococcal polysaccharide-protein conjugate, 333
LING N.R., *see* STEENSGAARD J.
LOPEZ-ALARCON LUISA, *see* DIAZ-ESPADA F.
LOVELAND B.E. & MCKENZIE I.F.C. Delayed-type hypersensitivity and allograft rejection in the mouse: correlation of effector cell phenotype, 313
LOWE JENNIFER, *see* STEENSGAARD J.
LUX M., *see* DANDEU J.-P.

MCBRIDE W.H., *see* HOWIE SARAH.
MCCANTS M.L., *see* BOZELKA B.E.
MCCASKILL A.C., HOSKING C.S. & HILL D.J. Grass pollen hypersensitivity in mice, 745
MCGARRY R. & SINGHAL S.K. The immunoregulatory role of bone marrow. III. Further characterization of the suppressor cell and its mode of action, 387
MCGREGOR A.M., *see* WEETMAN A.P.
MCKENZIE I.F.C., *see* HOGARTH P.M.
MCKENZIE I.F.C., *see* LOVELAND B.E.
MAESTRONI G.J.M., PIERPAOLI W. & ZINKERNAGEL R.M. Immunereactivity of long lived H-2 incompatible irradiation chimeras (H-2^d→H-2^b), 253
MAGE ROSE G., *see* ABDI HAMIDA B.
MAILLOT MARIE-CHRISTINE, *see* DUCLOS HÉLÈNE.
MALLEY A. & DRESSER D.W. Anti-idiotype regulation of Timothy grass pollen IgE antibody formation. I. *In vivo* induction of suppressor T cells, 653
MANTICH NANCY M., *see* YASAKA T.
MATHESON D.S., *see* RODER J.C.
MATHIESON BONNIE, *see* ROLLWAGEN FLORENCE M.
MATOSSIAN-ROGERS ARPI, *see* ROGERS P.
MEHTA P.D., PATRICK B.A. & THORMAR H. Measles-specific IgG in CSF and serum of patients with subacute sclerosing panencephalitis, 423
MEVEL J.C., *see* BOUTHILLIER Y.
MICHAEL A.F., *see* COSIO F.G.
MICHAELSEN T.E., *see* LEA T.
MILLER H.R.P., *see* WOODBURY R.G.
MILNER K.C., *see* RIBI E.
MING YEH, CZITROM A.A. & MITCHISON N.A. Allospecific T-cell lines with functional activities, 281
MITCHISON N.A., *see* MING YEH.
MOHRI S., WATANABE T. & NARIUCHI H. Studies of the immunological activities of the outer membrane protein from *Escherichia coli*, 271
MONTI M., *see* FÄLDT R.
MOON DEBORAH K., *see* FARRAM EUNICE.
MOORE M., *see* POTTER M.R.
MORRIS A.G., *see* POTTER M.R.
MORRISON C.A., *see* TITE J.P.
MOSTOWSKI H., *see* RODER J.C.
MOUTON D., *see* BOUTHILLIER Y.
MURRELL HELEN, *see* POWELL A.E.
MUSTIKKAMÄKI U.P., *see* RÄSÄNEN LIISA.

NACHTIGAL D., *see* EISENTHAL A.
NAGAYA M., *see* ISHIGURO Y.
NAKAMURA K., YOSHII A., AKABOSHI T., KASHIWAZAKI S., & KAWAKAMI M. Regulation of macrophage phagocytosis of syngeneic erythrocytes by T-cell subsets from NZB mice: differential effects of T cells from young and old mice, 561
NARIUCHI H., *see* MOHRI S.
NATVIG J.B., *see* LEA T.
NEEDLEMAN B.W., *see* WEILER J.M.
NELSON D.S., *see* FARRAM EUNICE.
NELSON MARGARET, *see* FARRAM EUNICE.
NISHIKAWA S., *see* KINA T.
NOMOTO K., *see* SANUI H.
NORLEY S.G. & WARDLEY R.C. Complement-mediated lysis of African swine fever virus-infected cells, 75
NUESSEN MARY E., *see* BIRMINGHAM J.R.

OKUYAMA H., *see* YAMAMOTO K.
OTTESEN E.A., *see* HOFSTETTER M.

PAPIERNIK MARTINE & EZINE SOPHIE. Postnatal development of T cells. III. Thymus independency of T-cell-dependent antigen response in the neonatal spleen, 209
PARKER R., *see* RIBI E.
PASSWELL J.H., GOLDRING S.R. & DAYER J.-M. Effects of concanavalin A and Fc fragments of IgG on human monocyte cAMP content: modulation of monocyte secretory function by cAMP, 415
PATEL M. & HAVAS H.F. The role of T, B and adherent cells in the *in vitro* immune response of TEPC-183-bearing mice, 97
PATRICK B.A., *see* MEHTA P.D.
PEARCE F.L., *see* WHITE J.R.

PENN C.W. & RHODES J.G. Surface-associated antigens of *Treponema pallidum* concealed by an inert outer layer, 9
PENN R.L. & STEIGBIGEL R.T. Elevated adenosine cyclic 3′, 5′-monophosphate levels in human macrophages following their interaction with *Salmonella typhimurium*, 199
PICHER O., *see* POPPER H.
PIERPAOLI W., *see* MAESTRONI G.J.M.
PLAYFAIR J.H.L. & DE SOUZA J.B. Lymphocyte traffic and lymphocyte destruction in murine malaria, 125
POINDEXTER R.W., *see* HOFSTETTER M.
POPHAM A.M., *see* DRESSER D.W.
POPPER H., PICHER O. & AUER H. Reduction of carrageenan-bradykinin- and histamin-induced acute inflammation by experimental eosinophilia in rats, 589
POTTER M.R., MOORE M. & MORRIS A.G. Stimulation of natural cytotoxic activity in mixed cell cultures and by culture supernatants containing interferon, 401
POWELL A.E., BIRCH RUTH E., MURRELL HELEN & SLOSS A.M. Cell populations in leucocyte adherence inhibition: requirement for T lymphocytes with IgG Fc receptors, 689
PRICKETT J.D., ROBINSON D.R. & BLOCH K.J. Enhanced production of IgE and IgG antibodies associated with a diet enriched in eicosapentaenoic acid, 819
PROSS H., *see* RODER J.C.
PUROHIT A., *see* GODFREY H.P.

RABILLON J., *see* DANDEU J.-P.
RAEDLER A., RAEDLER ELISABETH, BECKER W.-M', ARNDT R. & THIELE H.G. Subcapsular thymic lymphoblasts expose receptors for soy bean lectin, 321
RAEDLER ELISABETH, *see* RAEDLER A.
RÄSÄNEN LIISA, MUSTIKKAMÄKI U.P. & ARVILOMMI H. Polyclonal response of human lymphocytes to bacterial cell walls, peptidoglycans and teichoic acid, 481
REEVE J. & WOO PATRICIA M.M. Steady state relations between control proteins regulating the formation of the alternative pathway C3 convertase, 859
REEVES W.G., *see* CARTER S.D.
RENNIE D.P., *see* WEETMAN A.P.
RHODES J.G., *see* PENN C.W.
RIBI E. GRANGER D.L., MILNER K.C., YAMAMOTO K., STRAIN S.M., PARKER R., SMITH R.W., BREHMER W. & AZUMA I. Induction of resistance to tuberculosis in mice with defined components of mycobacteria and with some unrelated materials, 297
RIVERA F., *see* EGIDO J.
ROBINSON D.R., *see* PRICKETT J.D.
RODER J.C., HALIOTIS TINA, LAING L., KOZBOR DANUTA, RUBIN P., PROSS H., BOXER L.A., WHITE J.G., FAUCI A.S., MOSTOWSKI H. & MATHESON D.S. Further studies of natural killer cell function in Chediak-Higashi patients, 555
ROE RACHEL & BELL S.C. Humoral immune responses in murine pregnancy. II. Kinetics and nature of the response in females preimmunized against paternal alloantigens, 23
ROGERS P. & MATOSSIAN-ROGERS ARPI. Differential sensitivity of lymphocyte subsets to corticosteroid treatment, 841
ROITT I.M., *see* LANG I.
ROLLWAGEN FLORENCE M., MATHIESON BONNIE J. & ASOFSKY R. Positive selection of T-cell subsets. I. Proliferative responses of Lyt 2 separated thymocytes and splenic T cells, 49
RUBIN P., *see* RODER J.C.
RUDDY S., *see* CARLSON PATRICIA.
RUIZ-TIBEN E., *see* HOFSTETTER, M.
RZEPCZYK CHRISTINE M. Probable macrophage origin of the lipopolysaccharide-induced cytostatic effect on intra-erythrocytic malarial parasites (*Plasmodium vinckei*), 261

SALVAGGIO J.E., *see* BOZELKA B.E.
SÁNCHEZ-CRESPO M., *see* EGIDO J.
SANCHO J., *see* EGIDO J.
SANT'ANNA O.A., *see* BOUTHILLIER Y.
SANUI H., YOSHIDA S., HIMENO K. & NOMOTO K. Delayed hypersensitivity to syngeneic testicular cells induced by intratesticular bacterial infection in guinea-pigs, 635
SAXENA QUEEN B., *see* SAXENA R.K.
SAXENA R.K., SAXENA QUEEN B. & ADLER W.H. Identity of effector cells participating in the reverse antibody-dependent cell-mediated cytotoxicity, 459
SCHEINER O., *see* SCHOPF R.E.
SCHNEEBERGER EVELINE E., *see* SESSIONS COLE F.
SCHNEIDER C.H., TOFFLER O., GUENIN R. & KINGS M. Guinea-pig anaphylaxis mediated by monovalent haptens with hydrocarbon auxiliary groups: studies on the difference in elicitation between intradermally and intravenously administered hapten, 221
SCHOPF R.E., HAMMAN K.P., SCHEINER, O., LEMMEL E.-M. & DIERICH M.P. Activation of human monocytes by both human β1H and C3b, 307
SCHWAB J.H., ALLEN JANICE B., ANDERLE SONIA K., DALLDORF F., EISENBERG R. & CROMARTIE W.J. Relationship of complement to experimental arthritis induced in rats with streptococcal cell walls, 83
SESSIONS COLE F., SCHNEEBERGER EVELINE E., LICHTENBERG NANCY A. & COLTEN H.R. Complement biosynthesis in human breast-milk macrophages and blood monocytes, 429
SHUM D.T. & GALSWORTHY SARA B. Stimulation of monocyte production by an endogenous mediator induced by a component from *Listeria monocytogenes*, 343
SHVARTSMAN YA S., *see* ANGELOVA L.A.
SILVERMAN S.L., CATHCART E.S., SKINNER MARTHA & COHEN A.S. The degradation of serum amyloid A protein by activated polymorphonuclear leucocytes: participation of granulocytic elastase, 737
SIMONS MARGARET A., *see* ABDI HAMIDA B.
SINGHAL S.K., *see* MCGARRY R.C.
SKINNER MARTHA, *see* SILVERMAN S.L.
SLOSS A.M., *see* POWELL A.E.
SMITH R.W., *see* RIBI E.
SOLTIS R.D. & HASZ DIANE. Dissociation of IgG aggregates at low pH, 411
SOLTIS. R.D. & HASZ DIANE. Studies on the nature of intermolecular bonding in antigen–antibody complexes, 175
STASSEN F.L. & BEEK C.J. Antibody avidity and complement-mediated solubilization of precipates during the immune response, 289
STEENSGAARD J., JACOBSEN C., LOWE JENNIFER, LING N.R. & JEFFERIS R. Theoretical and ultracentrifugal analysis of immune complex formation between monoclonal antibodies and human IgG, 751
STEIGBIGEL R.T., *see* PENN R.L.

STRAIN S.M., *see* RIBI E.

TABATABAI LOUISA B., *see* BIRMINGHAM J.R.
TAKAGAKI Y., *see* HIRAYAMA A.
TAYLOR R.B., *see* TITE J.P.
THIELE H.G., *see* RAEDLER A.
THORMAR H., *see* MEHTA P.D.
TITE J.P., MORRISON C.A. & TAYLOR R.B. Immunoregulatory effects of covalent antigen-antibody complexes. IV. Priming and tolerance in T-dependent responses, 809
TOFFLER O., *see* SCHNEIDER C.H.
TOURNEFIER ANNICK. Corticosteroid action on lymphocyte subpopulations and humoral immune response of axolotl (urodele amphibian), 155

ULRICH F. *In vitro* generation of splenic suppressor cells by trypsin, 369

VAN DER MEER C., *see* WILLERS J.M.N.
VAREY ANNE-MARIE, *see* LANG I.
VOSE B.M., BLACKLEDGE G., CROWTHER D. & GALLAHER J. Lectin-binding characteristics of human natural killer cells, 619

WADSÖ I., *see* FALDT R.
WAKELIN D., GRENCIS R.K. & DONACHIE ANNE M. Short lived, dividing cells mediate adoptive transfer of immunity to *Trichinella spiralis* in mice. II. *In vivo* characteristics of the cells, 451
WAKELIN D., *see* GRENCIS R.K.
WARDLEY R.C. Effect of African swine fever on lymphocyte mitogenesis, 215
WARDLEY R.C. *see* NORLEY S.G.
WATANABE T., *see* MOHRI S.
WEETMAN A.P., MCGREGOR A.M., RENNIE D.P. & HALL R. Sites of autoantibody production in rats with thyroiditis, 465
WEILER J.M., BALLAS Z.K., FELDBUSH T.L. & NEEDLEMAN B.W. Inhibition of human lymphocyte blastogenesis by C3: the role of serum in the tissue culture medium, 247
WEKSLER M.E., *see* GUTOWSKI J.K.
WELLS R.J., *see* YASAKA T.
WHITE J.G., *see* RODER J.C.
WHITE J.R. & PEARCE F.L. Characteristics of histamine secretion from rat peritoneal mast cells sensitized to the nematode *Nippostrongylus brasiliensis*, 353
WHITE J.R. & PEARCE F.L. Effect of anti-allergic compounds on anaphylactic histamine secretion from rat peritoneal mast cells in the presence and absence of exogenous calcium, 361
WILLERS J.M.N., HOFHUIS F.M.A. & VAN DER MEER C. Prolongation of acquired cellular resistance to *Listeria monocytogenes*, 787
WILLIAMS A.F., *see* BROWN W.R.A.
WINKELSTEIN A. Murine β-lymphocyte colony formation: the effects of cyclophosphamide and azathioprine, 827
WOO PATRICIA M.M., *see* REEVE J.
WOODBURY R.G. & MILLER H.R.P. Quantitative analysis of mucosal mast cell protease in the intestines of *Nipponstrongylus*-infected rats, 487

YAMAMOTO K., KATO K., KAKINUMA M., OKUYAMA H. & AZUMA I. Further study on relationship of anti-tuberculous protection to lung granuloma produced by intravenous injections of synthetic 6-0-mycoloyl-N-acetyl-muramyl-L-alanyl-D-isoglutamine with or without specific antigens, 473
YAMAMOTO K., *see* RIBI E.
YASAKA T., WELLS R.J., MANTICH NANCY M., BOXER L.A. & BAEHNER R.L. Enrichment by counterpart centrifugal elutriation of human lymphocytes cytotoxic to human tumour cells, 613
YOSHIDA S., *see* SANUI H.
YOSHII A., *see* NAKAMURA K.
YOUNG BARBARA. Concanavalin A stimulation of mouse lymphocytes at low concentration. I. The effect of peritoneal exudate cells, 31
YOUNG BARBARA. Concanavalin A stimulation of mouse lymphocytes at low concentration. II. Effect of conditioned medium from peritoneal exudate cells and from lymphocyte cultures, 37
YOUNG-COOPER GLENDOWLYN O., *see* ABDI HAMIDA B.

ZINKERNAGEL R.M., *see* MAESTRONI G.J.M.

The following entries should be added to the author index of volume 45:

ASHFORD P.N., *see* NASH A.A.
NASH A.A. & ASHFORD P.N. Split T-cell tolerance in herpes simplex virus-infected mice and its implication for antiviral immunity, 761

Subject Index

Adenosine cyclic 3′, 5′-monophosphate levels, elevated, in human macrophages following their interaction with *Salmonella typhimurium*, 199

African swine fever on lymphocyte mitogenesis, effect of, 215

African swine fever virus-infected cells, complement-mediated lysis of, 75

Allergens, antigens and, in *Dermatophagoïdes farinae*. II. Purification of Ag 11, a major allergen in *Dermatophagoïdes farinae*, 679

Alloantigens, paternal, kinetics and nature of response in females preimmunized against. Humoral immune responses in murine pregnancy. II, 23

Allograft rejection in the mouse: correlation of effector cell phenotype, delayed-type hypersensitivity and, 313

Allotypes, kappa chain, expression of, at the cell surface and in serum immunoglobulins of normal and allotype-suppressed heterozygous rabbits, 661

Amyloid A protein, serum, degradation of, by activated polymorphonuclear leucocytes: participation of granulocytic elastase, 737

Anaphylaxis, guinea-pig, mediated by monovalent haptens with hydrocarbon auxiliary groups: studies on difference in elicitation between intradermally and intravenously administered hapten, 221

Antibodies, blocking, specifically inhibit immediate hypersensitivity responses to parasite antigens. Modulation of host response in human schistosomiasis. III, 777

Antibodies, monoclonal, to murine Ly-2.1 cell surface antigen, 135

Antibody avidity and complement-mediated solubilization of precipitates during immune response, 289

Antibody-dependent cell-mediated cytotoxicity, reverse, identity of effector cells participating in, 459

Antibody fragments, Fab and Fab'_2 anti-Ia, on T-lymphocyte proliferative responses, inhibition by, 533

Antibody responsiveness to Salmonella antigens: both genetic background and environmental factors modify phenotypic expression of H-2 associated genes participating in polygenic control of, 67

Antigens and allergens in *Dermatophagoïdes farinae*. II. Purification of Ag 11, a major allergen in *Dermatophagoïdes farinae*, 679

Antigen-antibody complexes, covalent, immunoregulatory effects of. IV. Priming and tolerance in T-dependent responses, 809

Antigen–antibody complexes, studies on nature of intermolecular bonding in, 175

Antigen, prolonged reduction in basophil counts at cutaneous basophil hypersensitivity reaction sites challenged with, 381

Antigen response, T-cell-dependent, thymus independency of, in neonatal spleen. Postnatal development of T cells. III, 209

Antigens, parasite, blocking antibodies specifically inhibit immediate hypersensitivity responses to. Modulation of host response in human schistosomiasis. III, 777

Antigens, polysaccharide egg, fractionation of, by lectin affinity chromatography. *Schistosoma mansoni*:, 237

Antigens, surface-associated, of *Treponema pallidum* concealed by an inert outer layer, 9

Anti-tuberculous protection, further study on relationship of, to lung granulomata produced by intravenous injections of synthetic 6-O-mycoloyl-N-acetylmuramyl-L-alanyl-D-isoglutamine with or without specific antigens, 473

Arthritis, experimental, induced in rats with streptococcal cell walls, relationship of complement to, 83

Autoantibody production in rats with thyroiditis, sites of, 465

Autoimmune tubulointerstitial nephritis, experimental, in guinea-pig: effects of cyclophosphamide administered before and after tubular basement membrane immunization on renal lesions, 833

Azathioprine, differential effects of, on T cells regulating murine B-cell function, 595

Azathioprine, effects of cyclophosphamide and. Murine B-lymphocyte colony formation, 827

β1H, human and C3b, activation of human monocytes by both, 307

B and adherent cells, role of T, in the *in vitro* immune response of TEPC-183-bearing mice, 97

B-cell function, murine, differential effects of azathioprine on T cells regulating, 595

B-cell response, primary *in vitro* mouse, induced by self-hormone-coupled self-albumin, 89

B cells, suppressor, lymphokine-induced, 545

B-lymphocyte colony formation, murine effects of cyclophosphamide and azathioprine, 827

Bactericidal function of polymorphs by ferritin-antiferritin complexes, abolition of, 497

Basophil counts, prolonged reduction in, at cutaneous basophil hypersensitivity reaction sites challenged with antigen, 381

Blastogenesis, human lymphocyte, inhibition of, by C3: role of serum in tissue culture medium, 247

Bone marrow, immunoregularity role of. III. Further characterization of the suppressor cell and its mode of action, 387

Brucella abortus, generation of chemotactic factor for granulocytes and monocytes from serum by fractions of, 17

C3 convertase, alternative pathway, steady state relations between control proteins regulating formation of, 859
C3b, activation of human monocytes by both human β1H and, 307
C3b function, solubilization of an activity regulating, from Raji cell membranes, 163
Cellular resistance, acquired, prolongation of, to *Listeria monocytogenes*, 787
Chediak-Higashi patients, further studies of natural killer cell function in, 555
Chemotactic factor for granulocytes and monocytes from serum by fractions of *Brucella abortus*, 17
Chimeras (H-$2^d \rightarrow$H-2^b), long lived H-2 incompatible irradiation, immunereactivity of, 253
Complement biosynthesis in human breast-milk macrophages and blood monocytes, 429
Complement-mediated lysis of African swine fever virus-infected cells, 75
Complement-mediated solubilization of precipates during immune response, antibody avidity and, 289
Concanavalin A, effects of, and Fc fragments of IgG on human monocyte cAMP content: modulation of monocyte secretory function by cAMP, 415
Concanavalin A stimulation of mouse lymphocytes at low concentration. II. The effect of conditioned medium from peritoneal exudate cells and from lymphocyte cultures, 37
Concanavalin A stimulation of mouse lymphocytes at low concentration. I. The effect of peritoneal exudate cells, 31
Conditioned medium from peritoneal exudate cells and from lymphocyte cultures, effect of. Concanavalin A stimulation of mouse lymphocytes at low concentration. II, 37
Corticosteroid action on lymphocyte subpopulations and humoral immune response of axolotl (urodele amphibian), 155
Corticosteroid treatment, differential sensitivity of lymphocyte subsets to, 841
Countercurrent centrifugal elutriation, enrichment by, of human lymphocytes cytotoxic to human tumour cells, 613
Cyclophosphamide and azathioprine, effects of, on murine B-lymphocyte colony formation, 827
Cyclophosphamide, effects of, before and after tubular basement membrane immunization on renal lesions, experimental autoimmune tubulointerstitial nephritis in guinea-pigs, 833
Cytokine production, inhibition of, by a tumour cell product, 603
Cytostatic effect on intra-erythrocytic malarial parasites (*Plasmodium vickei*), probable macrophage origin of lipopolysaccharide-induced, 261
Cytotoxic activity, natural, stimulation of, in mixed cell cultures and by culture supernatants containing interferon, 401
Cytotoxicity, reverse antibody-dependent cell-mediated, identity of effector cells participating in, 459

Delayed-type hypersensitivity and allograft rejection in the mouse: correlation of effector cell phenotype, 313
Delayed hypersensitivity to syngeneic testicular cells induced by intratesticular bacterial infection in guinea-pigs, 619
Dermatophagoïdes farinae, antigens and allergens in. II. Purification of Ag 11, a major allergen in *Dermatophagoïdes farinae*, 679
Developmental profiles of urinary SIgA in newborns and the effect of blood transfusion, 329

Effector cell phenotype, delayed-type hypersensitivity and allograft rejection in the mouse: correlation of, 313
Eicosapentaenoic acid, diet enriched in, enhanced production of IgE and IgG antibodies associated with, 819
Elastase, granulocytic, participation of. Degradation of serum amyloid A protein by activated polymorphonuclear leucocytes, 737
Enzymes, glycolytic, mitogen-induced changes in, of mouse lymphocytes: influence of insulin on cell activation *in vitro*, 705
Eosinophilia, experimental, in rats, reduction of carrageenan- bradykinin- and histamin-induced acute inflammation by, 589
Epitopes, carrier and antigenic on hen egg-white lysozyme, structural relationships between, 145
Erythrocytes, sheep, differences in putative minor histocompatibility but not IgH genes can prevent T-cell priming and T–B co-operation in the response of mice to, 643
Erythrocytes, syngeneic, regulation of macrophage phagocytosis of, by T-cell subsets from NZB mice: differential effects of T cells from young and old mice, 561
Escherichia coli, studies of immunological activities of outer membrane protein from, 271

Fab and Fab'$_2$ monoclonal anti-Ia antibody fragments of T-lymphocyte proliferative responses, inhibition by, 533
Fc fragments, effects of concanavalin A and, of IgG on human monocyte cAMP content: modulation of monocyte secretory function by cAMP, 415
FcR, human. III. Effects of Pronase on soluble immune complex binding by polymorphonuclear leucocytes, monocytes and pulmonary macrophages, 395
Fc parts of immunoglobulins, importance of and influence of active complement, heat production in different populations of human blood cells exposed to immune complexes *in vitro*:, 189
Ferritin-antiferritin complexes, abolition of bactericidal function of polymorphs by, 497
Fibronectin, reversible binding of a guinea-pig lymphokine to gelatin and fibrinogen: possible of macrophage agglutination factor and, 515

Glycoproteins, lymphocyte cell surface, which bind to soybean and peanut lectins, 713
Granulocytes and monocytes from serum by fractions of *Brucella abortus*, generation of, 17
Granulomata, lung, produced by intravenous injections of synthetic 6-0-mycoloyl-N-acetyl-muramyl-L-alanyl-D-isoglutamine with or without specific antigens, further study on relationship of anti-tuberculous protection to, 473
Grass pollen hypersensitivity in mice, 745

H-2 associated genes, both genetic background and environment factors modify phenotypic expression of, participating in polygenic control of antibody responsiveness to Salmonella antigens, 67
H-2 incompatible irradiation chimeras (H-$2^d \rightarrow$H-2^b), immunereactivity of long lived, 253

Haptens, monovalent, guinea-pig anaphylaxis mediated by, with hydrocarbon auxiliary groups: studies on difference in elicitation between intradermally and intravenously administered hapten, 221
Heat production in different populations of human blood cells exposed to immune complexes *in vitro*: importance of Fc parts of immunoglobulins and influence of active complement, 189
Helper T cells, characterization of. T-cell regulation of pokeweek-mitogen-induced polyclonal immunoglobulin production in mice. I, 575
Hen egg-white lysozyme, structural relationships between carrier epitopes and antigenic epitopes on, 145
Histamine secretion, anaphylactic, from rat peritoneal mast cells in the presence and absence of exogenous calcium, effect of anti-allergic compounds on, 361
Histamine secretion from rat peritoneal mast cells sensitized to the nematode *Nippostrongylus brasiliensis*, characteristics of, 353
Histocompatibility, putative minor, differences in, but not IgH genes can prevent T-cell priming and T–B co-operation in the response of mice to sheep erythrocytes, 643
Humoral immune response of axolotl (urodele amphibian), corticosteroid action on lymphocyte subpopulations and, 155
Hypensitivity, grass pollen in mice, 745
Hypersensitivity reaction sites, cutaneous basophil, challenged with antigen, prolonged reduction in basophil counts at, 381
Hypersensitivity responses, immediate, blocking antibodies specifically inhibit, to parasite antigens. Modulation of host response in human schistosomiasis. III, 777

IgA aggregates, soluble, handling of, by mononuclear phagocytic system in mice. A comparison with IgG aggregates, 1
IgA and IgG secreting cells, distribution of IgM, in tissues of normal and tumour-bearing mice, 43
IgE antibody formation, anti-idiotype regulation of Timothy grass pollen. I. *In vivo* induction of suppressor T cells, 653
IgE, comparison of receptors for, of various rat basophilic cell lines. II. Studies with different anti-receptor antisera, 117
IgE, comparison of receptors for, of various rat basophilic leukaemia cell lines. I. Receptors isolated by IgE-Sepharose and IgE and anti-IgE, 107
IgE and IgG antibodies, enhanced production of, associated with a diet enriched in eicosapentaenoic acid, 819
IgE isotype suppression in anti-ε-treated mice, 527
IgG aggregates, dissociation of, at low pH, 411
IgG aggregates, handling of soluble IgA aggregates by mononuclear phagocytic system in mice. A comparison with, 1
IgG antibodies, enhanced production of IgE and, associated with a diet enriched in eicosapentaenoic acid, 819
IgG, complexed, human monocyte binding of homologous monomer and, 793
IgG, effects of concanavalin A and Fc fragments of, on human monocyte cAMP content: modulation of monocyte secretory function by cAMP, 415
IgG Fc receptors, requirement for T lymphocytes with, cell populations in leucocyte adherence inhibition:, 689
IgG, human, theoretical and ultracentrifugal analysis of immune complex formation between monoclonal antibodies and, 751
IgG, measles-specific, in CSF and serum from patients with subacute sclerosing panencephalitis, 423
IgG secreting cells, distribution of IgM, IgA and, in tissues of normal and tumour-bearing mice, 43
IgH genes, differences in putative minor histocompatibility but not, can prevent T-cell priming and T–B co-operation in the response of mice to sheep erythrocytes, 643
IgM, IgA and IgG secreting cells in tissues of normal and tumour-bearing mice, distribution of, 43
IgM rheumatoid factor, human, effect of, on renal glomerular immune complex deposition in passive serum sickness in the mouse, 761
Immune complex binding, soluble, by polymorphonuclear leucocytes, monocytes and pulmonary macrophages. The human FcR. III. Effects of Pronase on, 395
Immune complex deposition, renal glomerular, effect of human IgM rheumatoid factor on, in passive serum sickness in the mouse, 761
Immune complex formation, theoretical and ultracentrifugal analysis of, between monoclonal antibodies and human IgG, 751
Immune complexes *in vitro*, heat production in different populations of human blood cells exposed to: importance of Fc parts of immunoglobulins and influence of active complement, 189
Immune response, antibody avidity and complement-mediated solubilization of precipitates during, 289
Immune response of neonates to pneumococcal polysaccharide-protein conjugate, 333
Immune responses, humoral, in murine pregnancy. II. Kinetics and nature of response in females preimmunized against paternal alloantigens, 23
Immunoglobulin production, pokeweed-mitogen-induced polyclonal, T-cell regulation of, in mice. II. Characterization of helper T cells, 583
Immunoglobulins and influence of active complement, heat production in different populations of human blood cells exposed to immune complexes *in vitro*: importance of Fc parts of, 189
Immunoglobulins, serum of normal and allotype-suppressed heterozygous rabbits, expression of kappa chain allotypes at the cell surface and in, 661
Immunoregulatory role of bone marrow. III. Further characterization of the suppressor cell and its mode of action, 387
Influenza in rats, original antigenic sin to, 183
Inhibition of cytokine production by a tumour cell product, 603
Insulin, influence of, on cell activation *in vitro*, mitogen-induced changes in glycolytic enzymes of mouse lymphocytes, 705
Interferon, culture supernatants containing, stimulation of natural cytotoxic activity in mixed cell cultures and by, 401
Intermolecular bonding in antigen–antibody complexes, studies on nature of, 175

Kappa chain allotypes, expression of, at cell surface and in serum immunoglobulins of normal and allotype-suppressed heterozygous rabbits, 661

Lectin affinity chromatography, *Schistosoma mansoni*: fractionation of polysaccharide egg antigens by, 237
Lectin-binding characteristics of human natural killer cells, 619
Lectins, soybean and peanut, lymphocyte cell surface glycoproteins which bind to, 713
Leucocyte adherence inhibition, cell populations in: requirement for T lymphocytes with IgG Fc receptors, 689
Lipopolysaccharide-induced cytostatic effect on intraerythrocytic malarial parasites (*Plasmodium vinckei*) probable macrophage origin of, 261
Listeria monocytogenes, prolongation of acquired cellular resistance to, 787
Listeria monocytogenes, stimulation of monocyte production by an endogenous mediator induced by a component from, 343
Ly-2.1 cell surface antigen, monoclonal antibodies, to 135
Lymphocyte blastogenesis, human, inhibition of, by C3: role of serum in tissue culture medium, 247
Lymphocyte cell surface glycoproteins which bind to soybean and peanut lectins, 713
Lymphocyte cultures, effect of conditioned medium from peritoneal exudate cells and from. Concanavalin A stimulation of mouse lymphocytes at low concentration. II, 37
Lymphocyte mitogenesis, effect of African swine fever on, 215
Lymphocyte subpopulations and humoral immune response of axolotl (urodele amphibian), corticosteroid action on, 155
Lymphocyte subsets, differential sensitivity of, to corticosteroid treatment, 841
Lymphocyte traffic and lymphocyte destruction in murine malaria, 125
Lymphocytes, human, cytotoxic to human tumour cells, enrichment by countercurrent centrifugal elutriation of, 613
Lymphocytes, human peripheral blood, demonstration of non-idiotypic variable heavy chain (V_H) antigens on, 849
Lymphocytes, human, polyclonal response of, to bacterial cell walls, peptidoglycans and teichoic acids, 481
Lymphocytes migrating through chronically inflamed tissues, characterization of, 59
Lymphocytes, mouse, mitogen-induced changes in glycolytic enzymes of: influence of insulin on cell activation *in vitro*, 705
Lymphocytes, suppressor, *in vitro* generation of, involves interactions between PNA^+ and PNA^- thymocyte populations, 697
Lymphokine, guinea-pig, reversible binding of a, to gelatin and fibrinogen: possible relationship of macrophage agglutination factor and fibronectin, 515
Lymphokine-induced suppressor B cells, 545
Lysis, complemented-mediated, of African swine fever virus-infected cells, 75
Lyt 2 separated thymocytes and splenic T cells, proliferative responses of. Positive selection of T-cell subsets. I, 49

Macrophage agglutination factor, characterization of a guinea-pig lymphokine, 507
Macrophage agglutination factor and fibronectin, reversible binding of a guinea-pig lymphokine to gelatin and fibrinogen: possible relationship of, 515
Macrophage aggregation factor: some properties, 629
Macrophage origin, probable, of lipopolysaccharide-induced cytostatic effect on intra-erythrocytic malarial parasites (*Plasmodium vinckei*), 261
Macrophage phagocytosis, regulation of, of syngeneic erythrocytes by T-cell subsets from NZB mice: differential effects of T cells from young and old mice, 561
Macrophages, human breast-milk, and blood monocytes, complement biosynthesis in, 429
Macrophages, human, elevated adenosine cyclic 3′, 5′-monophosphate levels in, following their interaction with *Salmonella typhimurium*, 199
Macrophages, pulmonary, effects of Pronase on soluble immune complex binding by polymorphonuclear leucocytes, monocytes and. The human FcR. III, 395
Malaria, murine, lymphocyte traffic and lymphocyte destruction in, 125
Mast cells, rat peritoneal, in the presence and absence of exogenous calcium, effect of anti-allergic compounds on anaphylactic histamine secretion from, 361
Mast cells, rat peritoneal, sensitized to the nematode *Nippostrongylus brasiliensis*, characteristics of histamine secretion from, 353
Measles-specific IgG in CSF and serum from patients with subacute sclerosing panencephalitis, 423
Mesenteric lymph node, I. Availability of cells in primary and secondary infections in relation to cellular changes in the. Short lived, dividing cells mediate adoptive transfer of immunity to *Trichinella spiralis* in mice, 443
Mitogen-induced changes in glycolytic enzymes of mouse lymphocytes: influence of insulin on cell activation *in vitro*, 112
Mixed lymphocyte reaction, syngeneic, studies on. I. The ontogeny of syngeneic mixed lymphocyte reaction in mice, 727
Mixed lymphocyte reaction, syngeneic studies on. II. Decline in syngeneic mixed lymphocyte reaction with age, 801
Monoclonal antibodies and human IgG, theoretical and ultracentrifugal analysis of immune complex formation between, 751
Monoclonal antibodies to the murine Ly-2.1 cell surface antigen, 135
Monocyte binding, human, of homologous monomer and complexed IgG, 793
Monocyte production by an endogenous mediator induced by a component from *Listeria monocytogenes*, stimulation of, 343
Monocyte secretory function by cAMP, effects of concanavalin A and Fc fragments of IgG on human monocyte cAMP content: modulation of, 415
Monocytes, blood, complement biosynthesis in human breast-milk macrophages and, 429
Monocytes and pulmonary macrophages, effects of Pronase on soluble immune complex binding by polymorphonuclear leucocytes, The human FcR. III, 395
Monocytes from serum by fractions of *Brucella abortus*, generation of chemotactic factor for granulocytes and, 17
Monocytes, human, activation of, by both β1H and C3b, 307
Mononuclear phagocytic system in mice. A comparison with IgG aggregates. Handling of soluble IgA aggregates by, 1
Mucosal mast cell protease in intestines of *Nippostrongylus*-infected rats, quantitative analysis of, 487

Mycobacteria, induction of resistance to tuberculosis in mice with defined components of, and with some unrelated materials, 297
6-0-mycoloyl-N-acetyl-muramyl-L-alanyl-D-isoglutamine with or without specific antigens, further study on relationship of anti-tuberculous protection to lung granulomata produced by intravenous injections of synthetic, 473

Natural killer cell function in Chediak-Higashi patients, further studies of, 555
Natural killer cells, human, lectin-binding characteristics of, 619
Nippostrongylus brasiliensis, characteristics of histamine secretion from rat peritoneal mast cells sensitized to the nematode, 353
Nippostrongylus-infected rats, quantitative analysis of mucosal mast cell protease in the intestines of, 487

Panencephalitis, subacute sclerosing, measles-specific IgG in CSF and serum from patients with, 423
Peptidogycans and teichoic acids, polyclonal response of human lymphocytes to bacterial cell walls, 481
Peritoneal exudate cells, effect of conditioned medium from, and from lymphocyte cultures. Concanavalin A stimulation of mouse lymphocytes at low concentrations. II, 37
Peritoneal exudate cells, effect of. Concanavalin A stimulation of mouse lymphocytes at low concentration. I, 31
Phagocytic system, mononuclear, in mice. A comparison with IgG aggregates. Handling of soluble IgA aggregates by, 1
(*Plasmodium vinckei*), probable macrophage origin of lipopolysaccharide induced cytostatic effect on intra-erythrocytic malarial parasites, 261
PNA^+ and PNA^- thymocyte populations, *in vitro* generation of suppressor lymphocytes involves interactions between, 697
Pokeweed-mitogen-induced polyclonal immunoglobulin production, T-cell regulation of, in mice. I. Characterization of helper T cells, 575
Pokeweed-mitogen-induced polyclonal immunoglobulin production, T-cell regulation of, in mice. II. Characterization of helper T cells, 583
Polyclonal response of human lymphocytes to bacterial cell walls, peptidoglycans and teichoic acids, 481
Polymorphonuclear leucocytes, activated, degradation of serum amyloid A protein by: participation of granulocytic elastase, 737
Polymorphonuclear leucocytes, monocytes and pulmonary macrophages, effects of Pronase on soluble immune complex binding by. The human FcR. III, 395
Polymorphs, abolition of bactericidal function of, by ferritin-antiferritin complexes, 497
Polysaccharide-protein conjugate, immune response of neonates to pneumococcal, 333
Polysaccharide egg antigens, fractionation of, by lectin affinity chromatography. *Schistosoma mansoni*:, 237
Pronase, effects of, on soluble immune complex binding by polymorphonuclear leucocytes, monocytes and pulmonary macrophages. The human FcR. III, 395
Protein, outer membrane, from *Escherichia coli*, studies of immunological activities of, 271
Proteins, control, steady state relations between, regulating formation of alternative pathway C3 convertase, 859

Raji cell membranes, solubilization of an activity regulating C3b function from, 163
Rat basophilic cell lines. II. Studies with different anti-receptor antisera. Comparison of receptors for IgE of various, 117
Rat basophilic leukaemia cell lines. I. Receptors isolated by IgE-Sepharose and IgE and anti-IgE. Comparison of receptors for IgE of various, 107
Receptors for soy bean lectin, subcapsular thymic lymphoblasts expose, 321

Salmonella antigens, polygenic control of antibody responsiveness to, both genetic background and environmental factors modify phenotypic expression of H-2 associated genes participating in, 67
Salmonella typhimurium, elevated adenosine cyclic 3′, 5′-monophosphate levels in human macrophages following their interaction with, 199
Schistosoma mansoni: fractionation of polysaccharide egg antigens by lectin affinity chromatography, 237
Schistosomiasis, human, modulation of host response. III. Blocking antibodies specifically inhibit immediate hypersensitivity responses to parasite antigens, 777
Self-albumin, self-hormone-coupled, primary *in vitro* mouse B-cell response induced by, 89
Sensitivity, differential, of lymphocyte subsets to corticosteroid treatment, 841
Serum amyloid A protein, degradation of, by activated polymorphonuclear leucocytes: participation of granulocytic elastase, 737
Serum sickness, passive, in the mouse, effect of human IgM rheumatoid factor on renal glomerular immune complex deposition in, 761
SIgA, urinary, in newborns and effect of blood transfusion, developmental profiles of, 321
Soy bean lectin, subcapsular thymic lymphoblasts expose receptors for, 321
Spleen, neonatal, thymus independency of T-cell dependent antigen response in. Postnatal development of T cells. III, 209
Streptococcal cell walls, relationship of complement to experimental arthritis induced in rats with, 83
Subcapsular thymic lymphoblasts expose receptors for soy bean lectin, 321
Suppression, IgE isotype, in anti-ε-treated mice, 527
Suppressor B cells, lymphokine-induced, 545
Suppressor cell, further characterization of the, and its mode of action. Immunoregulatory role of bone marrow. III, 387
Suppressor cells, splenic, *in vitro* generation of, by trypsin, 369
Suppressor T cells, *in vivo* induction of. Anti-idiotype regulation of Timothy grass pollen IgE antibody formation. I, 653

T, B and adherent cells, role of in the *in vitro* immune response of TEPC-183-bearing mice, 97
T-cell lines, allospecific, with functional activities 281

T-cell priming and T–B co-operation in the response of mice to sheep erythrocytes, differences in putative minor histocompatibility but not IgH genes can prevent, 643
T-cell regulation of pokeweed-mitogen-induced polyclonal immunoglobulin production in mice. I. Characterization of helper T cells, 575
T-cell regulation of pokeweed-mitogen-induced polyclonal immunoglobulin production in mice. II. Mechanisms of the induction of suppressor T cells, 583
T-cell subsets, positive selection of. I. Proliferative responses of Lyt 2 separated thymocytes and splenic T cells, 49
T-cell subsets, regulation of macrophage phagocytosis of syngeneic erythrocytes by, from NZB mice: differential effects of T cells from young and old mice, 561
T cells, differential effects of azathioprine on, regulating murine B-cell function, 595
T cells, postnatal development of. III. Thymus independency of T-cell-dependent antigen response in neonatal spleen, 209
T-dependent responses, priming and tolerance in. Immunoregulatory effects of covalent antigen-antibody complexes, 809
TEPC-183-bearing mice, role of T, B and adherent cells in the *in vitro* immune response of, 97
T lymphoblasts, mouse, direct staining of, with fluoresceinated *Vicia villosa* lectin, 769
T-lymphocyte proliferative responses, inhibition by Fab and Fab'_2 monoclonal anti-Ia antibody fragments of, 533
T lymphocytes, requirement for, with IgG Fc receptors, cell populations in leucocyte adherence inhibition; 689
Teichoic acids, polyclonal responses of human lymphocytes to bacterial cell walls, peptidoglycans and, 481
Testicular cells, syngeneic, delayed hypersensitivity to, induced by testicular bacterial infection guinea-pig, 619
Thymic lymphoblasts, subcapsular, expose receptors for soy bean lectin, 321
Thymocyte populations, interactions between PNA^+ and PNA^-, *in vitro* generation of suppressor lymphocytes involves, 697
Thymocytes, Lyt 2 separated, and splenic T cells, proliferative responses of. Positive selection of T-cell subsets. I, 49
Thymus independency of T-cell-dependent antigen response in neonatal spleen. Postnatal development of T cells. II, 209
Thyroiditis, rats with, sites of autoantibody production in, 465
Timothy grass pollen IgE antibody formation, anti-idiotype regulation of. I. *In vivo* induction of suppressor T cells, 653
Treponema pallidum, surface-associated antigens of, concealed by an inert outer layer, 9
Trichinella spiralis in mice. I. Availability of cells in primary and secondary infections in relation to cellular changes in the mesenteric lymph node. Short lived, dividing cells mediate adoptive transfer of immunity to, 443
Trichinella spiralis in mice. II. *In vivo* characteristics of the cells. Short lived, dividing cells mediate adoptive transfer of immunity to, 451
Trypsin, *in vitro* generation of splenic suppressor cells by, 369
Tuberculosis in mice, induction of resistance to, with defined components of mycobacteria and with some unrelated materials, 297
Tubular basement membrane immunization on renal lesions, experimental autoimmune tubulointerstitial nephritis in guinea-pigs: effects of cyclophosphamide administered before and after, 833
Tumour cells, human, enrichment by countercurrent centrifugal elutriation of human lymphocytes cytotoxic to, 613

Ultracentrifugal, and theoretical, analysis of immune complex formation between monoclonal antibodies and human IgG, 751

(V_H) antigens, non-idiotypic variable heavy chain, demonstration of, on human peripheral blood lymphocytes, 849
Vicia villosa lectin, fluoresceinated, direct staining of mouse T lymphoblasts with, 769

The following entries should be added to the subject index of volume 45:

Herpes simplex virus-infected mice, split T-cell tolerance in, and its implication for anti-viral immunity, 761
T-cell tolerance, split, in herpes simplex virus-infected mice and its implication for anti-viral immunity, 761